

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	610	((expos\$3 adj1 unit) same (light adj emit\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 10:06
S2	2429	((expos\$3 adj1 (unit or device or apparatus)) same (light adj emit\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 10:10
S3	1	((((expos\$3 adj1 (unit or device or apparatus)) same (light adj emit\$4))) and (((input) adj1 (device or unit or apparatus)) near10 (distortion adj data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 10:08
S4	2	((((expos\$3 adj1 (unit or device or apparatus)) same (light adj emit\$4))) and (distortion adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 10:09
S5	2	((((expos\$3 adj1 (unit or device or apparatus)) same (light adj emit\$4))) and (distortion adj1 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 10:10
S6	1349	(distortion adj1 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 10:10
S7	2	((((expos\$3 adj1 (unit or device or apparatus)) same (light adj emit\$4))) and ((distortion adj1 data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 10:10
S8	47720	((expos\$3) adj1 (unit or device or apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 10:10
S9	44	((((expos\$3) adj1 (unit or device or apparatus))) and ((distortion adj1 data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 10:11

EAST Search History

S10	44	(((distortion adj1 data)) and (((expos\$3) adj1 (unit or device or apparatus))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 17:33
S11	44	(((distortion adj1 data)) and (((expos\$3) adj1 (unit or device or apparatus))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 17:33
S12	33	(((distortion adj1 data)) and (((expos\$3) adj1 (unit or device or apparatus)))) and (image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 17:41
S13	1	(((distortion adj1 data)) and (((expos\$3) adj1 (unit or device or apparatus)))) and (image)) and "358"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 17:56
S14	44	(((distortion adj1 data)) and (((expos\$3) adj1 (unit or device or apparatus)))) and ((image adj form\$3) or (copy adj machine or apparatus or device or unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 17:43
S15	0	(((distortion adj1 data)) and (((expos\$3) adj1 (unit or device or apparatus)))) and ((copy) adj (machine or apparatus or device or unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 17:43
S16	3	(((distortion adj1 data)) and (((expos\$3) adj1 (unit or device or apparatus)))) and (image)) and "382"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/13 17:56
S17	486	((cop\$3) with (noise near2 reduc\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/14 09:50
S18	0	((((cop\$3) with (noise near2 reduc\$5))) and ((exposure) near2 (unit or device or apparatus))) and (distortion adj1 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 09:53
S19	7	((((cop\$3) with (noise near2 reduc\$5))) and ((exposure) near2 (unit or device or apparatus)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 10:18

EAST Search History

S20	142658	electrophotographic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 10:11
S21	6052	electrophotographic and ((exposure) near2 (unit or apparatus or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 10:19
S22	316	(electrophotographic and ((exposure) near2 (unit or apparatus or device))) and (distortion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 10:20
S23	173	((electrophotographic and ((exposure) near2 (unit or apparatus or device))) and (distortion)) and ((transfer) near2 (unit or device or apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 10:26
S24	3	((electrophotographic and ((exposure) near2 (unit or apparatus or device))) and (distortion)) and ((transfer) near2 (unit or device or apparatus)) and ((resist) near2 (pattern\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 10:22
S25	13	((electrophotographic and ((exposure) near2 (unit or apparatus or device))) and (distortion)) and ((transfer) near2 (unit or device or apparatus)) and "358"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 13:31
S26	1	((electrophotographic and ((exposure) near2 (unit or apparatus or device))) and ((distortion) near5 ((exposure) near2 (unit or device or apparatus)))) and ((transfer) near2 (unit or device or apparatus)) and "358"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 13:38
S27	142658	electrophotographic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 13:38
S28	10	electrophotographic and (linear near2 distortion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 14:30

EAST Search History

S29	142658	electrophotographic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 14:32
S30	222	electrophotographic and ((l adj e adj d) or (light adj emit\$3 adj diode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 14:41
S31	2	(electrophotographic and ((l adj e adj d) or (light adj emit\$3 adj diode))) and (distortion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 14:42
S32	10056	electrophotographic and ((led) or (light adj emit\$3 adj diode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 14:41
S33	519	(electrophotographic and ((led) or (light adj emit\$3 adj diode))) and (distortion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/14 14:42
S34	7	(electrophotographic and ((led) or (light adj emit\$3 adj diode))) and (distortion) near5 (exposure adj1 (unit or device or apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 13:54
S35	32708	resist adj1 patter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/15 10:24
S36	34976	resist adj1 pattern\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/15 10:24
S37	35020	resist adj1 pattern\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 10:25
S38	0	(resist adj1 pattern\$1) and ((exposure) adj1 (unit or device or apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 10:29

EAST Search History

S39	3	(solid adj scan\$5) near2 ((exposure adj (device or unit or apparatus))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 10:32
S40	393552	((led or light adj emit\$3 adj diode) or (exposure adj1 (unit or device or apparatus)) same (distortion or bow))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 14:24
S41	1057	(((led or light adj emit\$3 adj diode) or (exposure adj1 (unit or device or apparatus)) same (distortion or bow))) and resist adj1 pattern\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 14:25
S42	7	((((led or light adj emit\$3 adj diode) or (exposure adj1 (unit or device or apparatus)) same (distortion or bow))) and resist adj1 pattern\$1) and (correct\$3 near5 skew\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:31
S43	35020	resist adj1 pattern\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 14:16
S44	1057	((((led or light adj emit\$3 adj diode) or (exposure adj1 (unit or device or apparatus)) same (distortion or bow))) and (resist adj1 pattern\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 14:16
S45	5245	(correct\$3 near5 skew\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 14:16
S46	7	((((led or light adj emit\$3 adj diode) or (exposure adj1 (unit or device or apparatus)) same (distortion or bow))) and (resist adj1 pattern\$1)) and ((correct\$3 near5 skew\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:32
S47	18041	(((led or light adj emit\$3 adj diode) or (exposure adj1 (unit or device or apparatus)) same (distortion or bow))) and (distortion or bow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 14:24

EAST Search History

S48	288	((((led or light adj emit\$3 adj diode) or (exposure adj1 (unit or device or apparatus)) same (distortion or bow))) and (distortion or bow)) and resist adj1 pattern\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/15 14:25
S49	5	((((led or light adj emit\$3 adj diode) or (exposure adj1 (unit or device or apparatus)) same (distortion or bow))) and (distortion or bow)) and resist adj1 pattern\$1) and (correct\$3 near5 skew\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:33
S50	45	((input or enter) near5 (distortion adj1 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 09:56
S51	10	((((input or enter) near5 (distortion adj1 data))) and ((led or light adj emit\$3 adj diode) or ((exposure) adj1 (unit or device or apparatus))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 10:02
S52	100	(distortion near4 data) and copier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 14:00
S53	6	(input\$4 near10 (distortion near4 data)) and copier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 14:10
S54	35	(input\$4 near10 (distortion near4 data)) and "358"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 15:53
S55	2	(input\$4 near10 (distortion near4 data)) and (skew near4 correction near4 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 15:54
S56	2	(input\$4 near10 (distortion near4 data)) and (skew near4 correction near4 data) and ((skew or deviation) near4 (correction or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 15:56

EAST Search History

S57	27	(input\$4 near10 (distortion near4 data)) and ((skew or deviation) near4 (correction or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 16:46
S58	0	(led or light adj1 emitting adj1 diode) near10 (curvature near2 shape) near10 (distortion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 16:51
S59	1949	(led or light adj1 emitting adj1 diode) same (distortion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 16:51
S60	1	(led or light adj1 emitting adj1 diode) same (curvature near2 shape) near10 (distortion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 16:54
S61	46	(led or light adj1 emitting adj1 diode) same (curvature near2 shape)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 17:04
S62	2	"5887088".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 18:00
S63	2	"6559976".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/16 18:00
S64	35020	resist adj pattern\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/18 18:25
S65	0	((resist adj pattern\$1) near7 (optical or len\$1 adj1 sensor\$1) same (skew adj corret\$4 adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/18 18:27
S66	0	((resist adj pattern\$1) near7 (optical or len\$1 adj1 sensor\$1) with (skew adj corret\$4 adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/18 18:27

EAST Search History

S67	493	((resist adj pattern\$1) near7 (optical or len\$1 adj1 sensor\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/18 18:36
S68	1	((((resist adj pattern\$1) near7 (optical or len\$1 adj1 sensor\$1))) and (skew adj1 correct\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/18 18:28
S69	2	((((resist adj pattern\$1) near7 (optical or len\$1 adj1 sensor\$1))) and (skew)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/18 18:28
S70	9	((((resist adj pattern\$1) near7 (optical or len\$1 adj1 sensor\$1))) and (transfer adj1 (body or apparatus or device or unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/18 19:37
S71	1	((resist adj pattern\$1) near7 (optical or len\$1 adj1 sensor\$1)) same (transfer near2 (body or unit or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/18 18:39
S72	6	(input\$4 with (distortion near4 data)) and (skew near4 correct\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/18 19:45
S73	3	(distortion near4 data) and (skew near4 correct\$4) and (resist near6 pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/18 19:50
S74	14	(distortion near4 data) and ((skew or angle) near4 correct\$4) and (resist near6 pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/18 19:50
S75	274	(resist or correction or calibration) near3 (mark or pattern or image) same (transfer adj1 belt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 10:51
S76	274	((resist or correction or calibration) near3 (mark or pattern or image)) same (transfer adj1 belt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 10:52

EAST Search History

S77	103	((((resist or correction or calibration) near3 (mark or pattern or image)) same (transfer adj1 belt)) and ((optical adj1 sensor\$1) or (led) or (light near1 emit\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 12:03
S78	103	((((resist or correction or calibration) near3 (mark or pattern or image)) same (transfer adj1 belt)) and ((optical adj1 sensor\$1) or (led) or (light near1 emit\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 12:04
S79	14	((((resist or correction or calibration) near3 (mark or pattern or image)) same (transfer adj1 belt)) and ((optical adj1 sensor\$1) or (led) or (light near1 emit\$4))) and skew adj1 correct\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 12:04
S80	14	((((resist or correction or calibration) near3 (mark or pattern or image)) same (transfer adj1 belt)) and ((optical adj1 sensor\$1) or (led) or (light near1 emit\$4))) and (skew adj1 correct\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/19 12:04
S81	4642	((exposure adj1 (device or unit or apparatus or body) or led or (light adj emit\$3)) near5 ((recording adj1 medium) or paper))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 17:28
S82	1	((exposure adj1 (device or unit or apparatus or body) or led or (light adj emit\$3)) near5 ((recording adj1 medium) or paper))) and (distortion adj1 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 17:28
S83	300	((exposure adj1 (device or unit or apparatus or body) or led or (light adj emit\$3)) near5 ((recording adj1 medium) or paper))) and "358"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 17:29
S84	727	((exposure adj1 (device or unit or apparatus or body)) near5 ((recording adj1 medium) or paper))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 17:28
S85	1	((exposure adj1 (device or unit or apparatus or body)) near5 ((recording adj1 medium) or paper))) and (distortion adj1 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 17:28

EAST Search History

S86	49	((exposure adj1 (device or unit or apparatus or body)) near5 ((recording adj1 medium) or paper))) and "358"/\$.cls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 17:29
S87	1861	correct\$3 near6 (vary\$3 or variation or varie\$1) near4 (light or led or light adj1 emit\$4 adj1 (diode or element or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 09:05
S88	32	(correct\$3 near6 (vary\$3 or variation or varie\$1) near4 (light or led or light adj1 emit\$4 adj1 (diode or element or device))) same panel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 09:15
S89	0	((correct\$3 near6 (vary\$3 or variation or varie\$1) near4 (light or led or light adj1 emit\$4 adj1 (diode or element or device))) same panel) same distortion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 09:15
S90	26	((correct\$3 near6 (vary\$3 or variation or varie\$1) near4 (light or led or light adj1 emit\$4 adj1 (diode or element or device))) same panel) same variation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 09:16
S91	213918	?fax or ?facsimile or fax or facsimile or ((?fax or ?facsimile) adj2 (server or gateway or system)) or facsys or (image adj communicat\$3) or netfax or (network adj (fax or facsimile)) and ((select\$3 or choos\$3) with ((several or plurality or multiple) adj channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/22 20:27
S92	218240	?fax or ?facsimile or fax or facsimile or ((?fax or ?facsimile) adj2 (server or gateway or system)) or facsys or (image adj communicat\$3) or netfax or (network adj (fax or facsimile)) and ((select\$3 or choos\$3) with ((several or plurality or multiple) adj channel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/22 20:27
S93	4019	((frequency adj1 shift adj1 key) or fsk) near2 signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:43

EAST Search History

S94	211448	S93 and fax or facsimile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:43
S95	225	S93 and (fax or facsimile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:43
S96	28	S95 and (channel near2 (estimation or value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:44
S97	3	S96 and shaping near2 filter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 15:44
S98	14	("5787324" "6021287" "6122476" "6157797" "6198891").PN. OR ("6381428"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/24 16:47
S99	5	("5787324" "6021287" "6122476" "6157797" "6198891").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/05 16:41
S10 0	1177	((exposure near2 (unit or device or apparatus)) same (distortion or bow))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:23
S10 1	276	((exposure near2 (unit or device or apparatus)) near4 light) same (distortion or bow or error))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:39
S10 2	48	S101 and (led or (light adj emit\$3 adj diode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:32
S10 3	6	S102 and (resist adj1 pattern\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:37

EAST Search History

S10 4	0	S103 and (correct\$3 near5 skew\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:40
S10 5	1	S102 and (correct\$3 near5 skew\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:34
S10 6	9408	((image near2 (carrier or forming)) or photoconduct\$3 or drum) same (distort\$4 or bow\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 11:22
S10 7	459	S106 same exposure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:39
S10 8	236	S107 same light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:39
S10 9	902	((exposure near2 (light or led)) same (distort\$4 or bow\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:46
S11 0	0	S103 and ((correct\$3 or adjust\$4) near5 skew\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:41
S11 1	7	S109 and ((correct\$3 or adjust\$4) near5 skew\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 10:45
S11 2	324288	((image near2 forming) near2 (device or apparatus or unit)) or copier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:58
S11 3	85	S112 and ((exposure near2 (light or led)) same (distort\$4 or bow\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:57

EAST Search History

S11 4	49734	((light or led) same (distort\$4 or bow\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:59
S11 5	1685	S114 and (((image near2 forming) near2 (device or apparatus or unit)) or copier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 12:59
S11 6	6994	((light adj1 emit\$4) or led) same (distort\$4 or bow\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:36
S11 7	218	S116 and (((image near2 forming) near2 (device or apparatus or unit)) or copier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:36
S11 8	2998	((light adj1 emit\$4) or led) with (distort\$4 or bow\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:36
S11 9	91	S118 and (((image near2 forming) near2 (device or apparatus or unit)) or copier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/15 14:36
S12 0	5546	((image near2 (carrier or forming)) or photoconduct\$3 or drum) with (distort\$4 or bow\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 11:22
S12 1	22	((led or (light adj1 emit\$4 adj1 diode)) same (linear near2 distort\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 10:28
S12 2	17	((led or (light adj1 emit\$4 adj1 diode)) with (linear near2 distort\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 10:19
S12 3	432	((led or (light adj1 emit\$4 adj1 diode)) and (linear near2 distort\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 10:10

EAST Search History

S12 4	2	S123 and electrophotographic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 10:28
S12 5	21	((led or (light adj1 emit\$4 adj1 diode)) with ((linear or curv\$6) near2 distort\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 10:26
S12 6	3332	((exposure near2 (unit or device or apparatus)) same (distortion or error))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 10:27
S12 7	401	S126 and (led or (light adj1 emit\$4 adj1 diode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 10:28
S12 8	61	S127 and electrophotographic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 10:28
S12 9	5	("4857944" "5274394" "5850247" "6035076" "6201596").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/30 11:29
S13 0	5	("5787324" "6021287" "6122476" "6157797" "6198891").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/07 20:49